

## Contractor Bid Request

November 15, 2022

**Homeowner Name:** XX  
**Project Address:** XX San Jose, CA 95121  
  
**Homeowner Contact:** XX  
**Structure Type:** Single Family  
**Bid Due Date:** 11/28/22  
**Project Description:** Exterior paint, water heater

This Scope of Work was developed by a Habitat for Humanity Inspector based upon an inspection of the property. Items are listed in order of their priority. Contractors must provide an itemized estimate for each item listed below. The selected contractor will be required to provide proof of current license, insurance and workman's comp and submit a completed W-9 in advance of starting the project. Project address and homeowner phone number available upon request.

Any questions or requested modifications should be directed to:  
 XX


**Priority A:** Required items, including code violations and health and safety issues. These items must be completed prior to consideration of general, non-essential property improvements.

**Priority B:** General property improvements. Items to be completed if budget allows.

Priority Letter	Priority Number	Item Description
A	1	Exterior Maintenance and Painting- 1. Paint entire exterior of stucco home. Work does not include open overhead structure at rear. Properly protect hard surfaces, fixtures and homeowner belongings. Exterior paint limited to 3 colors total unless otherwise agreed upon with contractor. a. Pressure wash or similar prep prior to commencement of any painting. If lead is present contractor is to follow appropriate lead safe practices. b. Caulk all seams and cracks. Scrape and sand, if appropriate and as needed, to provide proper surface adhesion, especially on south and west facing walls. c. Apply two coats of quality paint and primer to be applied to all exposed siding, trim, eaves, doors and exterior handrail/guardrail. Consult with owner on color and finish.*When lead is present contractors should refer to lead test results for specific locations

		and follow lead safe practices, and properly protect hard surfaces, fixtures and homeowner belongings. Contractor must provide proof of CDPH Lead Safety Worker Certification and follow state and federal lead safety guidelines during painting and remediation. Lead clearance testing to be ordered by Habitat upon completion of painting. Contractor responsible for any additional clearance testing required due to failed testing.
A	2	<p>Replace Water Heater (In-Kind)</p> <ul style="list-style-type: none"> <li>a. Remove and dispose of existing water heater and related materials. Properly finish any related damage.</li> <li>b. Install same sized water heater, same location</li> <li>c. Properly vent. Ensure necessary pipe insulation.</li> <li>d. Install new gas line valve, flexible hose, overflow pan and drain, earthquake straps, pressure relief valve with piping, etc.</li> <li>e. Price to include necessary electrical work, if any.</li> </ul> <p>*Work to be to manufacturer's specifications and permitted.</p>

**Exclusions:** Any items not included in the above scope of work.



## Scope of Items and Descriptions